

## ASME B16.21 Class ASA 150 Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	89 x 21	4	16	60	48 x 21
3/4	98 x 27	4	16	70	57 x 27
1	108 x 33	4	16	79	67 x 34
1 1/4	117 x 42	4	16	89	76 x 43
1 1/2	127 x 48	4	16	98	86 x 48
2	152 x 60	4	19	121	105 x 60
2 1/2	178 x 73	4	19	140	124 x 76
3	191 x 89	4	19	152	137 x 89
3 1/2	216 x 102	8	19	178	159 x 102
4	229 x 114	8	19	191	175 x 114
5	254 x 141	8	22	216	197 x 140
6	279 x 168	8	22	241	222 x 168
8	343 x 219	8	22	298	279 x 216
10	406 x 273	12	25	362	340 x 270
12	483 x 324	12	25	432	410 x 321
14	533 x 356	12	29	476	451 x 371
16	597 x 406	16	29	540	514 x 406
18	635 x 457	16	32	578	549 x 457
20	699 x 508	20	32	635	606 x 508
24	813 x 610	20	35	749	724 x 610

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.21 Class ASA 300 Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	95 x 21	4	16	67	54 x 21
3/4	117 x 27	4	19	83	67 x 27
1	124 x 33	4	19	89	73 x 33
1 1/4	133 x 42	4	19	98	83 x 42
1 1/2	156 x 48	4	22	114	95 x 48
2	165 x 60	8	19	127	111 x 60
2 1/2	191 x 73	8	22	149	130 x 73
3	210 x 89	8	22	168	149 x 89
3 1/2	216 x 102	8	22	184	165 x 102
4	254 x 114	8	22	200	181 x 114
5	279 x 141	8	22	235	216 x 141
6	318 x 168	12	22	270	251 x 168
8	381 x 219	12	25	330	308 x 219
10	445 x 273	16	29	387	362 x 273
12	521 x 324	16	32	451	422 x 324
14	584 x 356	20	32	514	486 x 356
16	648 x 406	20	35	572	540 x 406
18	711 x 457	24	35	629	597 x 457
20	775 x 508	24	35	686	654 x 508
24	914 x 610	24	41	813	775 x 610

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.21 Class ASA 600 Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	95 x 21	4	16	67	54 x 21
3/4	117 x 27	4	19	83	67 x 27
1	124 x 33	4	19	89	73 x 33
1 1/4	133 x 42	4	19	98	83 x 42
1 1/2	156 x 48	4	22	114	95 x 48
2	165 x 60	8	19	127	111 x 60
2 1/2	191 x 73	8	22	149	130 x 73
3	210 x 89	8	22	168	149 x 89
3 1/2	229 x 102	8	25	184	165 x 102
4	273 x 114	8	25	216	194 x 114
5	330 x 141	8	29	267	241 x 141
6	356 x 168	12	29	292	267 x 168
8	419 x 219	12	32	349	321 x 219
10	508 x 273	16	35	432	400 x 273
12	559 x 324	20	35	489	457 x 324
14	603 x 356	20	38	527	492 x 356
16	686 x 406	20	41	603	565 x 406
18	743 x 457	20	44	654	613 x 457
20	813 x 508	24	44	724	683 x 508
24	940 x 610	24	51	838	791 x 610

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.47 A Class 150 Flange Datasheet

Nominal Bore (in / mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
22 / 550	749 x 559	20	35	692	660 x 559
26 / 650	870 x 660	24	35	806	775 x 660
28 / 700	927 x 711	28	35	864	832 x 711
30 / 750	984 x 762	28	35	914	883 x 762
32 / 800	1060 x 813	28	41	978	940 x 813
34 / 850	1111 x 864	32	41	1029	991 x 864
36 / 900	1168 x 914	32	41	1086	1048 x 914
38 / 950	1238 x 965	32	41	1149	1111 x 965
40 / 1000	1289 x 1016	36	41	1200	1162 x 1016
42 / 1050	1346 x 1067	36	41	1257	1219 x 1067
44 / 1100	1403 x 1118	40	41	1314	1276 x 1118
46 / 1150	1454 x 1168	40	41	1365	1327 x 1168
48 / 1200	1511 x 1219	44	41	1422	1384 x 1219
50 / 1250	1568 x 1270	44	48	1480	1435 x 1270
52 / 1300	1623 x 1321	44	48	1537	1492 x 1321
54 / 1350	1683 x 1372	44	48	1594	1549 x 1372
56 / 1400	1746 x 1422	48	48	1651	1607 x 1422
58 / 1450	1803 x 1473	48	48	1708	1664 x 1473
60 / 1500	1854 x 1524	52	48	1759	1715 x 1524

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.47 A Class 300 Flange Datasheet

Nominal Bore (in / mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
22 / 550	838 x 559	24	41	743	705 x 559
26 / 650	972 x 660	28	44	876	835 x 660
28 / 700	1035 x 711	28	44	940	899 x 711
30 / 750	1092 x 762	28	48	997	953 x 762
32 / 800	1149 x 813	28	51	1054	1007 x 813
34 / 850	1207 x 864	28	51	1105	1057 x 864
36 / 900	1270 x 914	32	54	1168	1118 x 914
38 / 950	1168 x 965	32	41	1092	1054 x 965
40 / 1000	1207 x 1016	32	44	1156	1115 x 1016
42 / 1050	1289 x 1067	32	44	1207	1165 x 1067
44 / 1100	1365 x 1118	32	48	1264	1219 x 1118
46 / 1150	1416 x 1168	28	51	1321	1273 x 1168
48 / 1200	1467 x 1219	32	51	1372	1324 x 1219
50 / 1250	1581 x 1270	32	54	1429	1378 x 1270
52 / 1300	1657 x 1321	32	54	1480	1429 x 1321
54 / 1350	1683 x 1372	28	60	1579	1492 x 1372
56 / 1400	1708 x 1422	28	60	1600	1543 x 1422
58 / 1450	1759 x 1473	32	60	1651	1594 x 1473
60 / 1500	1810 x 1524	32	60	1702	1645 x 1524

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.47 A Class 600 Flange Datasheet

Nominal Bore (in / mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
22 / 550	870 x 559	24	48	778	733 x 559
26 / 650	1016 x 660	28	51	914	867 x 660
28 / 700	1073 x 711	28	54	965	914 x 711
30 / 750	1130 x 762	28	54	1022	972 x 762
32 / 800	1194 x 813	28	60	1080	1022 x 813
34 / 850	1245 x 864	28	60	1130	1073 x 864
36 / 900	1314 x 914	32	67	1194	1130 x 914
38 / 950	1270 x 965	32	60	1162	1105 x 965
40 / 1000	1321 x 1016	32	60	1213	1156 x 1016
42 / 1050	1403 x 1067	32	67	1283	1219 x 1067
44 / 1100	1454 x 1118	32	67	1334	1270 x 1118
46 / 1150	1511 x 1168	28	67	1391	1327 x 1168
48 / 1200	1594 x 1219	32	73	1461	1391 x 1219
50 / 1250	1670 x 1270	32	79	1524	1448 x 1270
52 / 1300	1721 x 1321	32	79	1575	1499 x 1321
54 / 1350	1778 x 1372	28	79	1632	1556 x 1372
56 / 1400	1854 x 1422	28	86	1695	1613 x 1422
58 / 1450	1905 x 1473	32	86	1746	1664 x 1473
60 / 1500	1994 x 1524	32	92	1810	1721 x 1524

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.47 B Class 150 Flange Datasheet

Nominal Bore (in / mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
26 / 650	786 x 660	36	22	745	725 x 660
28 / 700	837 x 711	40	22	795	776 x 711
30 / 750	887 x 762	44	22	846	827 x 762
32 / 800	941 x 813	48	22	900	881 x 813
34 / 850	1005 x 864	40	25	957	935 x 864
36 / 900	1057 x 914	44	25	1010	987 x 914
38 / 950	1124 x 965	40	29	1070	1045 x 965
40 / 1000	1175 x 1016	44	29	1121	1095 x 1016
42 / 1050	1226 x 1067	48	29	1172	1146 x 1067
44 / 1100	1276 x 1118	52	29	1222	1197 x 1118
46 / 1150	1341 x 1168	40	32	1284	1256 x 1168
48 / 1200	1392 x 1219	44	32	1335	1307 x 1219
50 / 1250	1443 x 1270	48	32	1386	1357 x 1270
52 / 1300	1494 x 1321	52	32	1437	1408 x 1321
54 / 1350	1549 x 1372	56	32	1492	1464 x 1372
56 / 1400	1600 x 1422	60	32	1543	1514 x 1422
58 / 1450	1675 x 1473	48	35	1611	1580 x 1473
60 / 1500	1726 x 1524	52	35	1662	1630 x 1524

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## ASME B16.47 B Class 300 Flange Datasheet

Nominal Bore (in / mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
26 / 650	867 x 660	32	35	803	772 x 660
28 / 700	921 x 711	36	35	857	826 x 711
30 / 750	991 x 762	36	38	921	886 x 762
32 / 800	1054 x 813	32	41	978	940 x 813
34 / 850	1108 x 864	36	41	1032	994 x 864
36 / 900	1172 x 914	32	44	1089	1048 x 914
38 / 950	1222 x 965	36	44	1140	1099 x 965
40 / 1000	1273 x 1016	40	44	1191	1149 x 1016
42 / 1050	1334 x 1067	36	48	1245	1200 x 1067
44 / 1100	1384 x 1118	40	48	1295	1251 x 1118
46 / 1150	1461 x 1168	36	51	1365	1318 x 1168
48 / 1200	1511 x 1219	40	51	1416	1368 x 1219
50 / 1250	1562 x 1270	44	51	1467	1419 x 1270
52 / 1300	1613 x 1321	48	51	1518	1470 x 1321
54 / 1350	1673 x 1372	48	51	1578	1556 x 1372
56 / 1400	1765 x 1422	36	60	1651	1594 x 1422
58 / 1450	1827 x 1473	40	60	1713	1673 x 1473
60 / 1500	1878 x 1524	40	60	1764	1705 x 1524

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.



## ASME B16.47 B Class 600 Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
26	889 x 660	28	44	806	765 x 660
28	953 x 711	28	48	864	819 x 711
30	1022 x 762	28	51	927	879 x 762
32	1086 x 813	28	54	984	933 x 813
34	1162 x 864	24	60	1054	997 x 864
36	1213 x 914	28	60	1105	1048 x 914

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table A Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	95 x 21	4	14	67	52 x 21
3/4	102 x 27	4	14	73	59 x 27
1	114 x 34	4	14	83	68 x 34
1 1/4	121 x 43	4	14	87	73 x 43
1 1/2	133 x 48	4	14	98	84 x 48
2	152 x 60	4	18	114	97 x 60
2 1/2	165 x 76	4	18	127	110 x 76
3	184 x 89	4	18	146	129 x 89
3 1/2	203 x 102	4	18	165	148 x 102
4	216 x 114	4	18	178	160 x 114
5	254 x 140	4	18	210	192 x 140
6	279 x 168	4	18	235	217 x 168
7	305 x 194	8	18	260	243 x 194
8	337 x 219	8	18	292	275 x 219
9	368 x 244	8	18	324	306 x 244
10	406 x 273	8	22	356	333 x 273
12	457 x 324	8	22	406	384 x 324
13	489 x 356	8	22	438	416 x 356
14	527 x 381	8	25	470	445 x 381
15	552 x 406	8	25	495	470 x 406
16	578 x 432	12	25	521	495 x 432
17	610 x 457	12	25	552	527 x 457
18	641 x 483	12	25	584	559 x 483
19	673 x 508	12	25	610	584 x 508
20	705 x 533	12	25	641	616 x 533
21	737 x 559	12	25	673	648 x 559
22	762 x 584	12	29	699	670 x 584
23	787 x 610	12	29	724	695 x 610
24	826 x 635	12	29	756	727 x 635

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table D Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	95 x 21	4	14	67	52 x 21
3/4	102 x 27	4	14	73	59 x 27
1	114 x 34	4	14	83	68 x 34
1 1/4	121 x 43	4	14	87	73 x 43
1 1/2	133 x 48	4	14	98	84 x 48
2	152 x 60	4	19	114	95 x 60
2 1/2	165 x 76	4	19	127	108 x 76
3	184 x 89	4	19	146	127 x 89
3 1/2	203 x 102	4	19	165	148 x 102
4	216 x 114	4	19	178	159 x 114
5	254 x 140	8	19	210	191 x 140
6	279 x 168	8	19	235	216 x 168
7	305 x 194	8	19	260	243 x 194
8	337 x 219	8	19	292	273 x 219
9	368 x 245	8	19	324	306 x 245
10	406 x 273	8	22	356	333 x 273
12	457 x 324	12	22	406	384 x 324
13	489 x 356	12	22	438	416 x 356
14	527 x 381	12	25	470	445 x 381
15	552 x 406	12	25	495	470 x 406
16	578 x 432	12	25	521	495 x 432
17	610 x 457	12	25	553	527 x 457
18	641 x 483	12	25	584	559 x 483
19	673 x 508	12	25	610	584 x 508
20	705 x 533	16	25	641	616 x 533
21	737 x 559	16	25	673	648 x 559
22	762 x 584	16	29	698	670 x 584
23	787 x 610	16	29	724	695 x 610
24	826 x 635	16	29	756	727 x 635

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table E Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	95 x 21	4	14	67	52 x 21
3/4	102 x 27	4	14	73	59 x 27
1	114 x 34	4	14	83	68 x 34
1 1/4	121 x 43	4	14	87	73 x 43
1 1/2	133 x 48	4	14	98	84 x 48
2	152 x 60	4	19	114	95 x 60
2 1/2	165 x 76	4	19	127	108 x 76
3	184 x 89	4	19	146	127 x 89
3 1/2	203 x 102	4	19	165	148 x 102
4	216 x 114	8	19	178	159 x 114
5	254 x 140	8	19	210	191 x 140
6	279 x 168	8	22	235	213 x 168
7	305 x 194	8	22	260	243 x 194
8	337 x 219	8	22	292	270 x 219
9	368 x 245	8	22	324	306 x 245
10	406 x 273	12	22	356	333 x 273
12	457 x 324	12	25	406	381 x 324
13	489 x 356	8	25	438	416 x 356
14	527 x 381	12	25	470	445 x 381
15	552 x 406	8	25	495	470 x 406
16	578 x 432	12	25	521	495 x 432
17	610 x 457	12	25	552	527 x 457
18	641 x 483	16	25	584	559 x 483
19	673 x 508	12	25	610	584 x 508
20	705 x 533	16	25	641	616 x 533
21	737 x 559	12	29	673	648 x 559
22	762 x 584	12	29	699	670 x 584
23	787 x 610	12	29	724	695 x 610
24	826 x 635	16	32	756	724 x 635

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table F Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	95 x 21	4	14	67	52 x 21
3/4	102 x 27	4	14	73	59 x 27
1	121 x 34	4	19	87	68 x 34
1 1/4	133 x 43	4	19	98	79 x 43
1 1/2	140 x 48	4	19	105	86 x 48
2	165 x 60	4	19	127	108 x 60
2 1/2	184 x 76	8	19	146	127 x 76
3	203 x 89	8	19	165	146 x 89
3 1/2	216 x 102	8	19	178	160 x 102
4	229 x 114	8	19	191	171 x 114
5	279 x 140	8	22	235	213 x 140
6	305 x 168	12	22	260	238 x 168
7	337 x 194	12	22	292	270 x 194
8	368 x 219	12	22	324	302 x 219
9	406 x 245	12	25	356	330 x 245
10	432 x 273	12	25	381	356 x 273
12	489 x 324	16	25	438	413 x 324
13	527 x 356	16	29	470	441 x 356
14	552 x 381	16	29	495	467 x 381
15	578 x 406	16	29	521	492 x 406
16	610 x 432	20	29	552	524 x 432
17	641 x 457	20	29	584	556 x 457
18	673 x 483	20	32	610	578 x 483
19	705 x 508	20	32	641	610 x 508
20	737 x 533	24	32	673	641 x 533
21	762 x 559	24	32	699	667 x 559
22	787 x 584	24	32	724	692 x 584
23	826 x 610	24	35	756	721 x 610
24	851 x 635	24	35	781	746 x 635

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table H Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	114 x 21	4	19	83	64 x 21
3/4	114 x 27	4	19	83	64 x 27
1	121 x 34	4	19	87	68 x 34
1 1/4	133 x 43	4	19	98	79 x 43
1 1/2	140 x 48	4	19	105	86 x 48
2	165 x 60	4	19	127	108 x 60
2 1/2	184 x 76	8	19	146	127 x 76
3	203 x 89	8	19	165	146 x 89
3 1/2	216 x 102	8	19	178	160 x 102
4	229 x 114	8	19	191	171 x 114
5	279 x 140	8	22	235	213 x 140
6	305 x 168	12	22	260	238 x 168
7	337 x 194	12	22	292	270 x 194
8	368 x 219	12	22	324	302 x 219
9	406 x 244	12	25	356	330 x 245
10	432 x 273	12	25	381	356 x 273
12	489 x 324	16	25	438	413 x 324
13	527 x 356	16	29	470	441 x 356
14	552 x 381	16	29	495	467 x 381
15	578 x 406	16	29	521	492 x 406
16	610 x 432	20	29	552	524 x 432
17	641 x 457	20	29	584	556 x 457
18	673 x 483	20	32	610	578 x 483
19	705 x 508	20	32	641	610 x 508
20	737 x 533	24	32	673	641 x 533
21	762 x 559	24	32	699	667 x 559
22	787 x 584	24	32	724	692 x 584
23	826 x 610	24	35	756	721 x 610
24	851 x 635	24	35	781	746 x 635

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table J Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	114 x 21	4	18	83	65 x 21
3/4	114 x 27	4	18	83	65 x 27
1	121 x 34	4	18	87	70 x 34
1 1/4	133 x 43	4	18	98	81 x 43
1 1/2	140 x 48	4	18	105	87 x 48
2	165 x 60	4	18	127	110 x 60
2 1/2	184 x 76	8	18	146	129 x 76
3	203 x 89	8	18	165	148 x 89
3 1/2	216 x 102	8	18	178	160 x 102
4	229 x 114	8	18	191	173 x 114
5	279 x 140	8	22	235	213 x 140
6	305 x 168	12	22	260	238 x 168
7	337 x 194	12	22	292	270 x 194
8	368 x 219	12	22	324	302 x 219
9	406 x 244	12	25	356	330 x 244
10	432 x 273	12	25	381	356 x 273
12	489 x 324	16	25	438	413 x 324
13	527 x 356	16	29	470	441 x 356
14	552 x 381	16	29	495	467 x 381
15	578 x 406	16	29	521	492 x 406
16	610 x 432	20	29	552	524 x 432
17	641 x 457	20	29	584	556 x 457
18	673 x 483	20	32	610	578 x 483
19	705 x 508	20	32	641	610 x 508
20	737 x 533	24	32	673	641 x 533
21	762 x 559	24	32	699	667 x 559
22	787 x 584	24	32	724	692 x 584
23	826 x 610	24	35	756	721 x 610
24	851 x 635	24	35	781	746 x 635

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## BS10 Table K Flange Datasheet

Nominal Bore (in)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
1/2	114 x 21	4	18	83	65 x 21
3/4	114 x 27	4	18	83	65 x 27
1	121 x 34	4	18	95	78 x 34
1 1/4	133 x 43	4	18	98	81 x 43
1 1/2	140 x 48	4	22	114	92 x 48
2	165 x 60	8	18	127	110 x 60
2 1/2	184 x 76	8	22	146	124 x 76
3	203 x 89	8	22	165	144 x 89
3 1/2	216 x 102	8	25	184	159 x 102
4	229 x 114	8	25	197	171 x 114
5	279 x 140	12	25	235	210 x 140
6	305 x 168	12	25	260	235 x 168
7	337 x 191	12	29	292	264 x 191
8	368 x 216	12	29	318	289 x 216
9	406 x 241	16	29	356	327 x 241
10	432 x 270	16	29	381	352 x 270
12	489 x 321	16	29	432	400 x 321
13	527 x 346	16	35	483	448 x 346
14	552 x 371	16	35	508	473 x 371
15	578 x 397	20	35	540	505 x 397

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.



## DIN PN6 Flange Datasheet

Diameter Nominal DN (mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
15	80 x 22	4	11	55	44 x 22
20	90 x 28	4	11	65	54 x 28
25	100 x 35	4	11	75	64 x 35
32	120 x 43	4	14	90	76 x 43
40	130 x 49	4	14	100	86 x 49
50	140 x 61	4	14	110	96 x 61
65	160 x 77	4	14	130	116 x 77
80	190 x 90	4	18	150	132 x 90
100	210 x 115	4	18	170	152 x 115
125	240 x 141	8	18	200	182 x 141
150	265 x 169	8	18	225	207 x 169
200	320 x 220	8	18	280	262 x 220
250	375 x 274	12	18	335	317 x 274
300	440 x 325	12	22	395	373 x 325
350	490 x 368	12	22	445	423 x 368
400	540 x 420	16	22	495	473 x 420
450	595 x 470	16	22	550	528 x 470
500	645 x 520	20	22	600	578 x 520
600	755 x 620	20	26	705	679 x 620

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## DIN PN10 Flange Datasheet

Diameter Nominal DN (mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
10	90 x 18	4	14	60	45 x 18
15	95 x 22	4	14	65	51 x 22
20	105 x 28	4	14	75	61 x 28
25	115 x 35	4	14	85	71 x 35
32	140 x 43	4	18	100	82 x 43
40	150 x 49	4	18	110	92 x 49
50	165 x 61	4	18	125	107 x 61
65	185 x 77	4	18	145	127 x 77
80	200 x 90	8	18	160	142 x 90
100	220 x 115	8	18	180	162 x 115
125	250 x 141	8	18	210	192 x 141
150	285 x 169	8	22	240	218 x 169
200	340 x 220	8	22	295	273 x 220
250	395 x 274	12	22	350	328 x 274
300	445 x 325	12	22	400	378 x 325
350	505 x 368	16	22	460	438 x 368
400	565 x 420	16	26	515	489 x 420
450	615 x 470	20	26	565	539 x 470
500	670 x 520	20	26	620	594 x 250
600	780 x 620	20	30	725	695 x 620
700	895 x 712	24	30	840	810 x 712
800	1015 x 813	24	33	950	917 x 813
900	1115 x 915	28	33	1050	1017 x 915
1000	1230 x 1016	28	36	1160	1124 x 1016
1100	1340 x 1120	32	39	1270	1231 x 1120
1200	1455 x 1220	32	39	1380	1341 x 1220
1400	1675 x 1420	36	42	1590	1548 x 1420
1500	1785 x 1520	36	42	1700	1658 x 1520
1600	1915 x 1620	40	48	1820	1772 x 1620
1800	2115 x 1820	44	48	2020	1972 x 1820
2000	2325 x 2020	48	48	2230	2182 x 2020

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## DIN PN16 Flange Datasheet

Diameter Nominal DN (mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
10	90 x 18	4	14	60	45 x 18
15	95 x 22	4	14	65	51 x 22
20	105 x 28	4	14	75	61 x 28
25	115 x 35	4	14	85	71 x 35
32	140 x 43	4	18	100	82 x 43
40	150 x 49	4	18	110	92 x 49
50	165 x 61	4	18	125	107 x 61
65	185 x 77	4	18	145	127 x 77
80	200 x 90	8	18	160	142 x 90
100	220 x 115	8	18	180	162 x 115
125	250 x 141	8	18	210	192 x 141
150	285 x 169	8	22	240	219 x 169
200	340 x 220	12	22	295	273 x 220
250	405 x 274	12	26	355	329 x 274
300	460 x 325	12	26	410	384 x 325
350	520 x 368	16	26	470	444 x 368
400	580 x 420	16	30	525	495 x 420
450	640 x 470	20	30	585	555 x 470
500	715 x 520	20	33	650	617 x 250
600	840 x 620	20	36	770	734 x 620
700	910 x 712	24	36	840	804 x 712
800	1025 x 813	24	39	950	911 x 813
900	1125 x 915	28	39	1050	1011 x 915
1000	1255 x 1016	28	42	1170	1128 x 1016
1100	1355 x 1120	32	42	1270	1228 x 1120
1200	1485 x 1220	32	48	1390	1342 x 1220
1400	1685 x 1420	36	48	1590	1542 x 1420
1500	1820 x 1520	36	56	1710	1654 x 1520
1600	1930 x 1620	40	56	1820	1764 x 1620
1800	2130 x 1820	44	56	2020	1964 x 1820
2000	2345 x 2020	48	62	2230	2168 x 2020

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## DIN PN25 Flange Datasheet

Diameter Nominal DN (mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
10	90 x 18	4	14	60	45 x 18
15	95 x 22	4	14	65	51 x 22
20	105 x 28	4	14	75	61 x 28
25	115 x 35	4	14	85	71 x 35
32	140 x 43	4	18	100	82 x 43
40	150 x 49	4	18	110	92 x 49
50	165 x 61	4	18	125	107 x 61
65	185 x 77	8	18	145	127 x 77
80	200 x 90	8	18	160	142 x 90
100	235 x 115	8	22	190	168 x 115
125	270 x 141	8	26	220	194 x 141
150	300 x 169	8	26	250	224 x 169
200	360 x 220	12	26	310	284 x 220
250	425 x 274	12	30	370	340 x 274
300	485 x 325	16	30	430	400 x 325
350	555 x 368	16	33	490	457 x 368
400	620 x 420	16	36	550	514 x 420
450	670 x 470	20	36	600	565 x 470
500	730 x 520	20	36	660	624 x 250
600	845 x 620	20	39	770	731 x 620
700	960 x 712	24	42	875	833 x 712
800	1085 x 813	24	48	990	942 x 813
900	1185 x 915	28	48	1090	1042 x 915
1000	1320 x 1016	28	56	1210	1154 x 1016
1100	1420 x 1120	32	56	1310	1254 x 1120
1200	1530 x 1220	32	56	1420	1364 x 1220
1400	1755 x 1420	36	62	1640	1578 x 1420
1500	1865 x 1520	36	62	1750	1688 x 1520
1600	1975 x 1620	40	62	1860	1798 x 1620
1800	2195 x 1820	44	70	2070	2000 x 1820
2000	2425 x 2020	48	70	2300	2230 x 2020

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

## DIN PN40 Flange Datasheet

Diameter Nominal DN (mm)	Full Face Gasket				IBC Gasket
	OD x ID (mm)	No. of Bolt Holes	Hole Diameter (mm)	Bolt PCD (mm)	OD x ID (mm)
10	90 x 18	4	14	60	45 x 18
15	95 x 22	4	14	65	50 x 22
20	105 x 28	4	14	75	60 x 28
25	115 x 35	4	14	85	70 x 35
32	140 x 43	4	18	100	82 x 43
40	150 x 49	4	18	110	92 x 49
50	165 x 61	4	18	125	107 x 61
65	185 x 77	8	18	145	127 x 77
80	200 x 90	8	18	160	142 x 90
100	235 x 115	8	22	190	168 x 115
125	270 x 141	8	26	220	194 x 141
150	300 x 169	8	26	250	224 x 169
200	375 x 220	12	30	320	290 x 220
250	450 x 274	12	33	385	352 x 274
300	515 x 325	16	33	450	417 x 325
350	580 x 368	16	36	510	474 x 356
400	660 x 407	16	39	585	546 x 407
450	685 x 458	20	39	610	571 x 458
500	755 x 508	20	42	670	628 x 508
600	890 x 610	20	48	795	747 x 610
700	995 x 710	24	48	900	852 x 710
800	1140 x 820	24	56	1030	974 x 820
900	1250 x 910	28	56	1140	1084 x 910
1000	1360 x 1010	28	56	1250	1194 x 1010

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.